

(W x D x H) 1.60m x 2.00m x 0.86m



PLEASE KEEP THESE INSTRUCTIONS





Every Zest product is unique because each piece of timber has its own distinctive, natural features.

Zest sources all of its timber from responsibly-managed forests and everything it designs and produces meets the highest standards of sustainability. Zest ensures that all timber and timber-related products are certified to Programme for the Endorsement of Forest Certification (PEFC/16-37-1490). This is vital not only for the health of the planet, but also shows Zest's commitment to the environment and to responsible sourcing. Timber is a natural material and, as such, will fit beautifully within any outdoor space. This also means that all Zest pieces are unique because every piece of timber has its own distinctive features.

Natural and Unique...

Changes in temperature and humidity will cause expansion and contraction so Zest products need time to adjust to where the owners live. A few splits or cracks are part of the maturing process and will not affect strength or durability. Knots embedded in the wood are natural and tell the story of the tree which made them. Customers may notice variations in colour but, once out in the garden and exposed to the sun, colour and shading will even out.

Most Zest products are pressure treated which protects the timber from rot and means customers will be able to enjoy the products in their garden for many years. Fresh pressure treatment sometimes leads to a small amount of greenspotting on the surface of new timber as the natural salt leaves the wood. This will fade away over time and is in no way detrimental to quality or durability.

Splits and cracks occur naturally in the timber grain due to changing temperatures and humidity levels. They are not usually a cause for concern as they don't affect the strength or durability of the product. If however, a 2p coin can fit into the split or crack there may be an issue so it should be reported to the retailer in writing with photographic evidence.



The benefits of slow grown timber

Slow grown timber from Eastern Europe is ideal for timber garden furniture. It produces a stronger grain in the wood giving it more durability and is said to be as strong as some hard woods.



Should you find a large split or dead knot, please email a photo to your retailer for investigation.

FURNITURE | ARBOURS | GROW YOUR OWN | PLANTERS | TRELLIS | FENCING & MORE...

Harriet Table Assembly Instructions


Requires 2 person assembly.

Tools required: Corded / Cordless Drill, Pozi-drive Bit / Tape Measure / Screwdriver, 3mm Drill Bit required in order for you to drill all screw holes before construction.


Please take a few moments to check all pack contents listed

Harriet Table Pack List					
Code	Item	Description	Quantity		
09065	А	Table Leg Assembly	2		
09066	В	Cross Brace	1		
09067	С	Table Top	1		


12855 - Harriet Table Fixings List					
Item	Description	Quantity			
1	80mm Screws	8			
2	120mm Screws	4			



This product is made from pressure-treated timber. It should not be painted or coated with any other treatment until at least 6 months after purchase



Attach Bench Legs Assembly centrally to Table Top C battens using 8no 80mm Screws.



Place Back Panel (B) at a height of 90mm from base of Post (A), ensuring notch in Post (A) is facing outwards, fix in position using 2 x 100mm Screws.



2

Your Harriet Table is now complete.

3

Harriet Bench Assembly Instructions


Requires 2 person assembly.

Tools required: Corded / Cordless Drill, Pozi-drive Bit / Screwdriver, 3mm Drill Bit required in order for you to drill all screw holes before construction.


Please take a few moments to check all pack contents listed

Harriet Bench Pack List				
Code	Item	Description	Quantity	
33455	D	Bench Leg Assembly	2	
09059	E	Seat	1	
09060	F	Brace	2	
09061	G	Back Rest	1	


15956 - Harriet Bench Fixings List				
Item	Description			
1	80mm Screws	10		
2	70mm Screws	4		



This product is made from pressure-treated timber. It should not be painted or coated with any other treatment until at least 6 months after purchase




Attach Bench Leg Assembly D to the inside of outer battens of Seat E as shown using 3 x 80mm Screws. Repeat procedure for remaining Bench Leg Assembly D.



Attach Brace F to Bench Leg Assembly D and Seat E as shown using 2 x 70mm Screws. Repeat procedure for remaining Brace F.

Attach Back Rest G to Bench Leg Assemblies D using 4 x 80mm Screws – 2 per Bench Leg Assembly D as shown.





2

Your Harriet Bench is now complete.