

(W x D x H) 2.64m x 2.64m x 2.49m



PLEASE KEEP THESE INSTRUCTIONS

FURNITURE | OUTDOOR ENTERTAINING | ARBOURS | GROW YOUR OWN | PLANTERS | TRELLIS | FENCING & MORE ... WWW.ZESTOUTDOORLIVING.CO.UK

Every Zest product is unique because each piece of timber has its own distinctive, natural features

Zest is a leading timber specialist, designing and manufacturing award winning wooden garden products, crafted from natural slow-grown European redwood. Unlike man-made materials, timber is an entirely natural material, and each piece has its own distinctive qualities. So, owning a Zest timber product is like enjoying a unique slice of nature.

The benefits of slow grown timber: ⁴⁴ Trees grow slowly in the cold climate of Eastern Europe producing stronger and close grained timber ideal for making quality outdoor products.





There may be variations in the timber's colour or shading, but these will fade away over time when exposed to sunlight.

Natural and Unique



The changing seasons in each year of growth create characteristics unique to each tree - and to every piece of timber. Branches create an embedded mark in the tree trunk, resulting in a knot. Knots are a unique and natural feature which tells the story of the tree.



Owing to timber's natural moisture content, variations in temperature and humidity can cause expansion and contraction and may result in cracks and splits in any product made from natural timber. Any cracks and splits in the timber grain will alter with the changing seasons. They do not compromise the strength and durability of the product - they just add to its unique character.



Most Zest products are pressure treated which protects the timber from rot for many years. Pressure treatment can result in a small amount of 'green spotting' on the surface of new timber caused by natural salts leaving the wood. This will fade away over time.

These visible changes are not a fault or a cause for concern and do not affect the structural integrity of the product. They are a result of how the timber matures and responds to its natural environment.

Ethically Sourced

Zest's slow grown European redwood is sourced from responsibly managed PEFC certified forests. This means forests are used in a way that maintains biodiversity, regeneration, and nature conservation. PEFC tracks certified timber from the forest to the final product giving complete confidence to the customer. www.pefc.co.uk



Replanting

Zest with its main supply partners is dedicated to replanting woodland and is collaborating on the nurture of wildlife habitats.

Advisory Notices

- Roofs are weather resistant and not guaranteed to be watertight unless otherwise stated.
- Items with enclosed storage or cupboard space are weather resistant and are not watertight unless otherwise stated.
- Be aware of trap hazards if a Zest product has moving parts.
- All products should be positioned on solid, level ground
- Anchor down products where applicable using appropriate fixings.
- Roofs are not weight bearing
- Sanitise all catering surfaces prior to use.

www.zestoutdoorliving.co.uk | 01352 873555 |

Moreton Gazebo Assembly Instructions

Requires 2 person assembly


Tools required: Silicone, Silicone gun,

Corded / Cordless Drill, Pozi-drive Bit / Screwdriver, 3mm Drill Bit required in order for you to drill all screw holes before construction.


Please take a few moments to check all pack contents listed

Moreton Gazebo Pack List				
Code	Item	Description	Quantity	
10894	А	Floor Panel	6	
10965	В	Floor Infill	1	
10895	С	Post	6	
00023	D	Full Panel	1	
00024	E	trellis Panel	2	
00022	F	Balustrade Panel	2	
10897	G	Finial	1	
10966	Н	Rafter	6	
10898	J	Fascia	3	
10896	K	Roof Panel	6	
10972	L	Roof Panel End Board	6	
10967	М	Roof Capping	6	
Moreton Gazebo Parts - Optional Extra				
11278	Ν	Leg Brace	12	
11279	0	Seat Leg	12	
11280	Р	Seat Brace	3	
11281	Q	Front Fascia	3	
11282	R	Back Fascia	3	
11283	S1	Seat Board Small	3	
11284	S2	Seat Board Medium	3	
11285	S3	Seat Board Large	3	


11725 - Clifton Gazebo Fixings List			
ltem	Description	Quantity	
1	45mm Screws	226	
2	70mm Screws	73	
3	120mm Screws	6	
4	Expansion Tape	1	



This product is made from pressure-treated timber. It should not be painted or coated with any other treatment until at least 6 months after purchase



Lay out 6 Floor Panels A as shown in Fig.1a and fix together using 12no 70mm Screws as shown in Fig.1b. Place the Infill B in centre and fix in position using 6no 45mm Screws (Fig.1c).




Attach 2no Posts C to Full Panel D using 6no 70mm Screws (3no per post) as shown in Fig.2a. Further attach 2no Trellis Panels E to Posts C using 6no 70mm Screws (3no per post) to form the back wall of Gazebo (Fig.2b).


Attach 2no Posts C to Trellis Panels E using 6no 70mm Screws (3no per post) and fix Balustrade Panels F to Posts C using 4no 70mm Screws – 2no per panel (Fig.2c).

Attach remaining 2no Posts C to Balustrade Panels F using 4no 70mm Screws. Align wall panel assembly with floor panels and fix in position using 15no 70mm Screws – 3no per panel.


See Figs.2d & 2e.








Insert 6no Rafters H into predrilled holes of Finial G (Fig.3a) and fix in position using 6no 120mm Screws (1no per Rafter H). Lift Rafter Assembly into slots on top of Posts C (Fig.3b) and fix in position using 12no 70mm Screws (2no per post) – Fig.3c.



Fix Fascia J between Posts C above Balustrade Panels F and entrance using 6no 70mm screws (2no per Fascia) – Fig.4.

4




(N.B. Prior to fixing Roof Panels, apply two even beads of silicone to each Rafter D and into grooves in Finial G.)

Position Roof Panel K onto Rafters D and into groove in Finial G (Fig.5a). Fix in position using 6no 45mm Screws (3no per side) - Fig.5b. Repeat procedure for remaining 5no Roof Panels K.


Insert Roof Panel End Boards L as shown in Fig.5c and fix in position using 4no 45mm Screws (2no per side) – Fig.5d. Repeat procedure for remaining Roof Panel End Boards L.

6



Apply Expansion Tape to underside of Roof Capping M (Fig.6a), position over roof panel joint and fix using 6no 45mm Screws (3no per side) – Fig.6b. Repeat procedure for remaining 5no Roof Cappings M.

Seat Assembly – Optional Extra



Using 8no 45mm Screws (4no per Leg Brace N), fix 2no Leg Braces N to 2no Seat Legs O ensuring lower brace is 20mm up from bottom of Seat Legs O and top brace is flush with top of Seat Legs O (Fig.7a). Similarly, build Right Leg Assembly as shown in Fig.7b.

Fix the Back Fascia P (Fig.7c) and Front Fascia Q (Fig.7d) to the two Leg Assemblies using 8no 45mm Screws (4no per Fascia). Locate Seat Brace R between lower Leg Braces and fix using 4no 45mm Screws (2no per side) – Fig.7e.

Fix Seat Boards S1,S2 & S3 as shown in Fig.7f, (ensuring Seat Board S1 is at the front and S3 at the back) using 12no 45mm Screws (4no per Seat Board).

Repeat procedure to build the remaining 2no Seats.

Position completed benches inside gazebo and fix to each other through (upper) Leg Braces N using 4no 45mm Screws – 2no per joint.

Fix bench assembly to posts through rear top corners using 2no 70mm Screws – 1no either end.



Your Moreton Gazebo is now complete.